

# 000-970

# **IBM**

System I Operations V5.07.10

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 000-970 exam in first attempt and also get high scores to acquire IBM certification.

If you use OfficialCerts 000-970 Certification questions and answers, you will experience actual 000-970 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our IBM exam prep covers over 95% of the questions and answers that may be appeared in your 000-970 exam. Every point from pass4sure 000-970 PDF, 000-970 review will help you take IBM 000-970 exam much easier and become IBM certified.

Here's what you can expect from the OfficialCerts IBM 000-970 course:

- \* Up-to-Date IBM 000-970 questions as experienced in the real exam.
- \* 100% correct IBM 000-970 answers you simply can't find in other 000-970 courses.
- \* All of our tests are easy to download. Your file will be saved as a 000-970 PDF.
- \* IBM 000-970 brain dump free content featuring the real 000-970 test guestions.

IBM 000-970 certification exam is of core importance both in your Professional life and IBM certification path. With IBM certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-970 exam training are an absolute favorite in the industry. You will pass IBM 000-970 certification test and career opportunities will be open for you.

http://news.ift.org/?newsid=exams.asp?examcode=000-970



# Question: 1

By default, how is the initial library list established for a submitted job?

- A. From the QINLLIBL system value
- B. From the Subsystem to which the job was submitted
- C. From the library list of the job issuing the SBMJOB
- D. From the job description parameter in the SBMJOB command

# **Answer: C**

#### Question: 2

The operator is attempting to vary on a dial-up communications line. The vary-on of the line failed. Which of the following describes why the vary-on failed?

- A. The modem is turned off.
- B. The controller is in failed status.
- C. The telco line cord is disconnected.
- D. Another line using the resource name is already varied on.

#### **Answer: D**

#### Question: 3

All the i5's in the computer room get their power from the UPS. After a recent power failure, the operator noticed that there was no message in the QSYSOPR message queue about the power failure. Which of the following is the most likely cause?

- A. The i5 has the system value QMAXUPSDLY set to \*NOMAX.
- B. The signal cable between the UPS and the i5 is not connected.
- C. The i5 was running an uninterruptible instruction set during the power failure.
- D. All Critical Console messages over severity 50 are being diverted to QSECOFR msgq.

# **Answer: B**

#### Question: 4

Which of the following IFS designations is used to identify the i5/OS Library/File/Member structure?

- A. QDLS
- B. Root
- C. QSYS.LIB
- D. QFileSvr.400

#### **Answer: C**

# Question: 5

What is the default run priority for interactive jobs in the QINTER subsystem?

- A. 10
- B. 20
- C. 50
- D. 70

# **Answer: B**

#### Question: 6

An operator has been asked to make all appropriate PTFs in a group PTF package active after the next system IPL. Which of the following commands will perform the request?

- A. LODPTF
- B. WRKPTF
- C. INSPTF
- D. ACTPTF

#### **Answer: C**

# Question: 7

An operator needs a job to process from the job queue ahead of other jobs in the queue. Which of the following parameters will accomplish this goal?

- A. JOBORD
- B. JOBPTY
- C. RUNPTY
- D. OUTPTY

# Answer: B

#### Question: 8

An i5 system with multiple i5/OS partitions has a single tape library shared between the partitions. Which of the following correctly describes how to determine where the tape library is assigned?

- A. Access Management Central on the service partition to view a list of allocated media devices by partition.
- B. From the partition that needs the tape, run command: VRYCFG CFGOBJ(TAPMLB01) CFGTYPE(\*DEV) STATUS(\*ALLOCATE)
- C. On the HMC, display the properties of the managed system. Click on the I/O tab to see where the tape IOA is assigned.
- D. Sign on to each partition; use SST to access Hardware Service Manager; select the option to display allocated media devices.

#### Answer: C

#### Question: 9

The system operator's evening checklist includes verifying disk utilization in the system ASP. Which of the following commands accomplishes this task?

- A. WRKSYSSTS
- B. WRKASPSTS
- C. WRKSYSSTG
- D. WRKASPSTG

# **Answer: A**

#### Question: 10

Which of the following is the name for a "virtual" optical set?

- A. Media Image
- B. Image Catalog
- C. Virtual Image
- D. Virtual Catalog

#### **Answer: B**

#### Question: 11

An operator is performing the nightly backup when the message "CPF6792 - Device TAP01 Needs to be cleaned" appears on the operator console for the first time. Which of the following is the correct action?

- A. Call IBM Hardware maintenance to perform required cleaning.
- B. Hold the backup and insert the appropriate tape cleaning cartridge.
- C. Insert the tape cleaning cartridge when the current cartridge unloads.
- D. Cancel the backup and clean the tape drive using the brushes provided.

#### **Answer: C**

# Question: 12

Presuming the operator is using the Intermediate assistance level:

On the WRKCFGSTS \*LIN display, which of the following status values indicates a dial-up line is ready to start communications?

- A. Active
- **B. VARIED ON**
- C. VARY ON PENDING
- D. CONNECT PENDING

#### Answer: D

#### Question: 13

When displaying messages in System i Navigator, an operator only wants to see the messages from the QSYSOPR message queue with a severity of 40 or more on a system named Mysystem. After expanding My Connections -> Mysystem -> Basic Operations, what is the procedure to accomplish this?

- A. Right-click QSYSOPR and change Lowest Severity Level to 40.
- B. Right click Messages. Select Change and set the severity filter to 40.
- C. Right-click Messages. Select Include and System Operator and change Lowest Severity Level to 40.
- D. Right-click Messages, then Customize This View. Click Include and select System Operator and change Lowest Severity Level to 40.

#### **Answer: D**

#### Question: 14

After completing a reclaim storage from the twinax console of an i550 partition, the operator accidentally disconnects the console before returning the partition to an unrestricted state. Which of the following is the correct recovery?

- A. Use the HMC to shut down and restart the Partition.
- B. Connect to ASMI to force DST and IPL the Managed System.
- C. Reconnect the console, recover the session, and start the controlling subsystem.
- D. Use the Console Takeover function on the HMC and start the controlling subsystem.

# **Answer: A**

# Question: 15



# OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams updated on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- No authorization code required to open exam.
- Portable anywhere.
- 100% success Guarantee.
- Fast, helpful support 24x7.

View list of All exams we offer: http://www.officialcerts.com/allexams.asp

To contact our Support;

http://www.officialcerts.com/support.asp

View FAQs

http://www.officialcerts.com/faq.asp

Download All Exams Samples

http://www.officialcerts.com/samples.asp

To purchase Full Version and updated exam; http://www.officialcerts.com/allexams.asp

3COM ADOBE APC Apple BEA BICSI CheckPoint Cisco	CompTIA ComputerAssociates CWNP DELL ECCouncil EMC Enterasys ExamExpress Evin	Filemaker Fortinet Foundry Fujitsu GuidanceSoftware HDI Hitachi HP	IBM IISFA Intel ISACA ISC2 ISEB ISM Juniper	LPI McAfee McData Microsoft Mile2 NetworkAppliance Network-General Nokia
Cisco	ExamExpress Exin ExtremeNetworks	HP	Juniper	Nokia
Citrix		Huawei	Legato	Nortel
CIW		Hyperion	Lotus	Novell

















**OMG** 

Oracle





Sybase

Sun



