

# 000-997

## IBM

### *WebSphere Message Broker V6.0, Solution Development*

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 000-997 exam in first attempt and also get high scores to acquire IBM certification.*

*If you use OfficialCerts 000-997 Certification questions and answers, you will experience actual 000-997 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our IBM exam prep covers over 95% of the questions and answers that may be appeared in your 000-997 exam. Every point from pass4sure 000-997 PDF, 000-997 review will help you take IBM 000-997 exam much easier and become IBM certified.*

*Here's what you can expect from the OfficialCerts IBM 000-997 course:*

- \* Up-to-Date IBM 000-997 questions as experienced in the real exam.*
- \* 100% correct IBM 000-997 answers you simply can't find in other 000-997 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 000-997 PDF.*
- \* IBM 000-997 brain dump free content featuring the real 000-997 test questions.*

*IBM 000-997 certification exam is of core importance both in your Professional life and IBM certification path. With IBM certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-997 exam training are an absolute favorite in the industry. You will pass IBM 000-997 certification test and career opportunities will be open for you.*

<http://news.ift.org/?newsid=exams.asp?examcode=000-997>



**Question: 1**

During a web service invocation, which of the following message elements would typically hold the payload that is being sent to the web service?

- A - SOAP-ENV:Body
- B - SOAP-ENV:Header
- C - wsdl:input
- D - xsd:data

**Answer: A**

**Question: 2**

A developer has written a user plugin node that makes extensive use of the Broker Java APIs to populate information in the system log. The plugin node is deployed to a Broker running on zOS. Where can the developer look to see the output from this plugin?

- A - In the GDG specified in the Broker JCL file BIPBRKP
- B - In the zOS System Console
- C - In the output of a BIPFMLG job
- D - In the Java stdout file

**Answer: B**

**Question: 3**

If the following ESQL is coded in a compute node, what would be the output from an MQoutput node?

```
CALL CopyMessageHeaders();  
set OutputRoot.XMLNsC.Msg.F1.F3 = 'Pluto';  
set OutputRoot.XMLNsC.Msg.F1.F2 = 'Mars';  
set OutputRoot.XMLNsC.Msg.F4 = 'Venus';  
set OutputRoot.XMLNsC.Msg.F4.F1 = 'Mercury';  
set OutputRoot.XMLNsC.Msg.F1.F3 = 'Saturn';  
set OutputRoot.XMLNsC.Msg.F5 = 'Neptune';
```

- A - <Msg>  
    <F1>  
    <F3>Saturn</F3>  
    <F2>Mars</F2>  
    </F1>  
    <F4>  
    <F1>Mercury</F1>  
    </F4>  
    <F5>Neptune</F5>  
    </Msg>
- B - <Msg>  
    <F1>  
    <F3>Saturn</F3>  
    <F2>Mars</F2>  
    </F1>  
    <F4>Venus<F1>Mercury</F1>  
    </F4>  
    <F5>Neptune</F5>  
    </Msg>
- C - <Msg>

```

    <F1>
    <F3>Pluto</F3>
    <F2>Mars</F2>
  </F1>
  <F4>Venus<F1>Mercury</F1>
  <F1>
  <F3>Saturn</F3> </F1>
  <F5>Neptune</F5>
</Msg>
D - <Msg>
  <F1>
  <F2>Mars</F2>
  <F3>Saturn</F3>
  </F1>
  <F4>Venus<F1>Mercury</F1>
  </F4> <F5>Neptune</F5>
</Msg>

```

**Answer: B**

**Question: 4**

A flow contains a trace node to collect information that shows the state of a message in a flow. What additional step is required to collect this data?

- A - Enable system trace
- B - Enable eventlog
- C - Enable user trace
- D - No other step required

**Answer: D**

**Question: 5**

A message flow developer has multiple versions of a subflow, and needs to be able to identify them at runtime via the user trace facility. The version information (file Revision) will be taken from the source control management system. Which of these approaches will enable the information to be made visible in user trace?

- A - Add a Passthrough node to the subflow. Insert the Revision from source control into the Label of the node.
- B - Add a Compute node to the subflow. Include the Revision from source control in a comment in the ESQL.
- C - Add the Revision from source control into the Long Description field in the flow properties,
- D - Add the subflow to the Broker Archive file, specifying the Revision from source control as the parameter to the -version flag on the mqsicreatebar command.

**Answer: A**

**Question: 6**

A travel reservation system is being implemented using a message flow. Reservation requests are received via an MQInput node. These requests must be sent to three different back-end systems: a hotel reservation system, a rental car reservation system and a passenger train reservation system. Aggregate nodes will be used to fan-out the back-end requests and fan-in the responses. A response must be returned from the message flow within 1 minute<sup>1</sup> even if all the reservation systems do not return a response. What is the best way to implement this requirement?

- A - The "Timeout" property on the AggregateControl node should be set to 60 seconds. The "Failure" terminal of the AggregateReply node must be wired to process the missing responses.
- B - The "Timeout" property on the Aggregatecontrol node should be set to 60 seconds. The "No Message" terminal of the AggregateReply node must be wired to process the missing responses
- C - The "Timeout" property on the AggregateRequest nodes should be set to 60 seconds. The "Folder Name" property of each AggregateRequest node must be unique so the fan-in 110w can identify the missing response.
- D - The "Timeout" property on the AggregateControl node should be set to 60 seconds. The "Folder Name" property of each AggregateRequest node must be unique so the fan-in flow can identify the missing response.

**Answer: D**

**Question: 7**

A developer needs to create a message model for legacy data. The data consists of several types of records where each record consists of fixed length fields and all fields contain text data. Each record starts with a fixed length type code and can repeat an unknown number of times. Which message domain must be used to parse this data?

- A - MRM-XML
- B - MRM-TDS
- C - MRM-CWF
- D - BLOB

**Answer: B**

**Question: 8**

What Data Element Separation method must be used to parse "ABCDE12SF12" into Field1="ABCDE", Field2="123", Field3="F12" and parse "ABCDE 123456xxxx" into Field1="ABCDE" Field2=" 123456", Field3="XXXX"?

- A - Use Data Pattern
- B - Fixed Length
- C - Variable Length Elements Delimited
- D - Tagged Fixed Length

**Answer: A**

**Question: 9**

An element in a message definition intended as output from a flow is a fixed length decimal type with CWF physical properties. The receiving application expects leading zeros to be included in the message. Which of the following properties would be used to accomplish this?

- A - Leading Skip Count
- B - Padding Character
- C - Byte Alignment
- D - Default Value

**Answer: B**

**Question: 10**

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

