

# 1Z0-146

## Oracle

### *Oracle Database 11g: Advanced PL/SQL*

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 1Z0-146 exam in first attempt and also get high scores to acquire Oracle certification.*

*If you use OfficialCerts 1Z0-146 Certification questions and answers, you will experience actual 1Z0-146 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Oracle exam prep covers over 95% of the questions and answers that may be appeared in your 1Z0-146 exam. Every point from pass4sure 1Z0-146 PDF, 1Z0-146 review will help you take Oracle 1Z0-146 exam much easier and become Oracle certified.*

*Here's what you can expect from the OfficialCerts Oracle 1Z0-146 course:*

- \* Up-to-Date Oracle 1Z0-146 questions as experienced in the real exam.*
- \* 100% correct Oracle 1Z0-146 answers you simply can't find in other 1Z0-146 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 1Z0-146 PDF.*
- \* Oracle 1Z0-146 brain dump free content featuring the real 1Z0-146 test questions.*

*Oracle 1Z0-146 certification exam is of core importance both in your Professional life and Oracle certification path. With Oracle certification you can get a good job easily in the market and get on your path for success. Professionals who passed Oracle 1Z0-146 exam training are an absolute favorite in the industry. You will pass Oracle 1Z0-146 certification test and career opportunities will be open for you.*

<http://news.ift.org/?newsid=exams.asp?examcode=1Z0-146>



**Question: 1**

Which two types of metadata can be retrieved by using the various procedures in the DBMS\_METADATA PL/SQL package? (Choose two.)

- A. report of invalidated objects in a schema
- B. report of statistics of an object in the database
- C. DDL for all object grants on a table in the database
- D. data definition language (DDL) for all objects in a schema

**Answer: C, D**

**Question: 2**

The database instance was recently started up. Examine the following parameter settings for the database instance:

NAME TYPE VALUE

-----

.....

result\_cache\_max\_result integer 5  
result\_cache\_max\_size big integer 0  
result\_cache\_mode string MANUAL  
result\_cache\_remote\_expiration integer 0

.....

You reset the value for the result\_cache\_max\_size parameter by issuing the following command:

```
SQL> ALTER SYSTEM SET result_cache_max_size = 1056k SCOPE = BOTH;
```

System altered.

Which statement is true in this scenario?

- A. 1056 KB is allocated for the result cache and the result cache is enabled.
- B. 1056 KB is allocated for the result cache, but the result cache is disabled.
- C. The results for only the queries that have the RESULT\_CACHE hint are cached.
- D. The results for all the queries except those having the NO\_RESULT\_CACHE hint are cached.

**Answer: B**

**Question: 3**

In a user session, tracing is enabled as follows:

```
SQL> EXECUTE
```

```
DBMS_TRACE.SET_PLSQL_TRACE(DBMS_TRACE.TRACE_ENABLED_LINES);
```

PL/SQL procedure successfully completed.

You executed the procedure as follows:

```
SQL> EXECUTE PROC10
```

PL/SQL procedure successfully completed.

When you examine the PLSQL\_TRACE\_EVENTS table, you find that no trace information was written into it.

View the Exhibit.

What is the reason for this?

```
SQL> select proc_name,proc_line,event_proc_name,event_comment
       from plsql_trace_events;
```

PROC_NAME	PROC_LINE	EVENT_PROC_NAME	EVENT_COMMENT
			PL/SQL virtual Machine started
			Some NODEBUG ev ents skipped
			PL/SQL virtual Machine stopped

- A. The PROC10 procedure is created with the invoker's right.
- B. The PROC10 procedure is not compiled with the DEBUG option.
- C. Tracing is not enabled with the TRACE\_ENABLED\_CALLS option.
- D. The TRACE\_ENABLED parameter is set to FALSE for the session.

**Answer: B**

**Question: 4**

Which two statements are true about SecureFile LOB options? (Choose two.)

- A. The COMPRESSION HIGH option can be enabled only for CLOBs.
- B. The COMPRESSION HIGH option can be enabled for all internal LOBs.
- C. The DECRYPT option can be used to remove encryption only if the LOB column is empty.
- D. The DECRYPT option can be used to remove encryption from LOB columns that are empty or contain data.

**Answer: B, D**

**Question: 5**

View the Exhibit and examine the structure of the EMPLOYEES table.

Examine the following PL/SQL block:

```
DECLARE
TYPE EmpList
IS VARRAY(2) OF employees.employee_id%TYPE NOT NULL;
v_employees EmpList := EmpList();
BEGIN
DBMS_OUTPUT.PUT_LINE(v_employees.COUNT);
v_employees.EXTEND;
v_employees(1) := 30;
END;
/
```

Which statement is true about the outcome on executing the above PL/SQL block?

EMPLOYEES		
Name	Null?	Type
EMPLOYEE_ID	NOT NULL	NUMBER(6)
FIRST_NAME		VARCHAR2(20)
LAST_NAME	NOT NULL	VARCHAR2(25)
HIRE_DATE	NOT NULL	DATE
JOB_ID	NOT NULL	VARCHAR2(10)
SALARY	NOT NULL	NUMBER(8,2)
DEPARTMENT_ID	NOT NULL	NUMBER(4)

- A. It executes successfully and displays the value 2.
- B. It executes successfully and displays the value 0.
- C. It generates an error because EXTEND cannot be used for varrays.
- D. It generates an error because the declaration of the varray is not valid.

**Answer: B**

**Question: 6**

View the Exhibit and examine the procedure to create a trigger name based on the table name supplied to the procedure. Which three statements are appropriate for protecting the code in the procedure from SQL injection? (Choose three.)

```
CREATE OR REPLACE PROCEDURE add_trigger
(p_schema VARCHAR2,p_table_name VARCHAR2) AS
v_stmt VARCHAR2(4000);
BEGIN
v_stmt := 'CREATE OR REPLACE TRIGGER '|| p_schema || '.' || 'xx$' || p_table_name
|| ' AFTER UPDATE ON '|| p_schema || '.' || p_table_name
|| ' FOR EACH ROW Begin NULL; End;';
DBMS_OutPut.Put_Line('SQL stmt: ' || v_stmt);
EXECUTE IMMEDIATE v_stmt;
....
....
....
END;
/
```

- A. Explicitly validate the identifier length limit.
- B. Add AUTHID DEFINER to the definition of the procedure.
- C. Use PRAGMA RESTRICT\_REFERENCES in the procedure.
- D. Filter out control characters in user-supplied identifier names.
- E. Use the object ID of the table from the data dictionary to build the trigger name.

**Answer: A, D, E**

**Question: 7**

Which statement describes the purpose of the plshprof command?

- A. It produces HTML output from raw profiler output.
- B. It produces HTML output from profiler tables in the database.
- C. It populates profiler tables in the database from raw profiler output.

D. It produces raw profiler output on the most recently run applications.

**Answer: A**

**Question: 8**

Examine the structure of the DEPARTMENTS table.

Name Null? Type

-----  
DEPARTMENT\_ID NOT NULL NUMBER(4)  
DEPARTMENT\_NAME NOT NULL VARCHAR2(30)  
LOCATION\_ID NUMBER(4)

View the Exhibit and examine the code that you plan to use for creating a package to obtain the details of an employee using a host variable on the client side.

In SQL\*Plus, you plan to use the following commands:

```
SQL> VARIABLE x REFCURSOR  
SQL> EXECUTE emp_data.get_emp(195,:x)  
SQL> PRINT x
```

Which statement is true about the above scenario?

```
CREATE OR REPLACE PACKAGE emp_data AS  
  TYPE typ_emp_rec IS RECORD  
    (last_name VARCHAR2(20),  
     dept_name VARCHAR2(30));  
  TYPE rt_emp IS REF CURSOR RETURN typ_emp_rec;  
  PROCEDURE get_emp  
    (p_empid IN NUMBER, p_cv_emp IN OUT rt_emp);  
END;  
/  
  
CREATE OR REPLACE PACKAGE BODY emp_data AS  
  PROCEDURE get_emp  
    (p_empid IN NUMBER, p_cv_emp IN OUT rt_emp)  
  IS  
  BEGIN  
    OPEN p_cv_emp FOR  
      SELECT last_name, department_name  
         FROM employees JOIN departments USING (department_id)  
         WHERE employee_id = p_empid;  
    CLOSE p_cv_emp;  
  END;  
END;  
/
```

- A. The package executes successfully and passes the required data to the host variable.
- B. The package specification gives an error on compilation because cursor variable types cannot be defined in the specification.
- C. The package specification gives an error on compilation because the cursor variable parameter was specified before you defined it.
- D. The package executes successfully, but does not pass the required data to the host variable because the cursor is closed before the PRINT statement runs.

**Answer: D**

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

