

# 1Z0-242

## Oracle

### *PeopleSoft Application Developer II: Application Engine & Integration*

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 1Z0-242 exam in first attempt and also get high scores to acquire Oracle certification.*

*If you use OfficialCerts 1Z0-242 Certification questions and answers, you will experience actual 1Z0-242 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Oracle exam prep covers over 95% of the questions and answers that may be appeared in your 1Z0-242 exam. Every point from pass4sure 1Z0-242 PDF, 1Z0-242 review will help you take Oracle 1Z0-242 exam much easier and become Oracle certified.*

*Here's what you can expect from the OfficialCerts Oracle 1Z0-242 course:*

- \* Up-to-Date Oracle 1Z0-242 questions as experienced in the real exam.*
- \* 100% correct Oracle 1Z0-242 answers you simply can't find in other 1Z0-242 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 1Z0-242 PDF.*
- \* Oracle 1Z0-242 brain dump free content featuring the real 1Z0-242 test questions.*

*Oracle 1Z0-242 certification exam is of core importance both in your Professional life and Oracle certification path. With Oracle certification you can get a good job easily in the market and get on your path for success. Professionals who passed Oracle 1Z0-242 exam training are an absolute favorite in the industry. You will pass Oracle 1Z0-242 certification test and career opportunities will be open for you.*

<http://news.ift.org/?newsid=exams.asp?examcode=1Z0-242>



**Question: 1**

Evaluate this PeopleCode snippet.

```
Local Array of Number &MyArray;
```

```
Local Any &Len, &Result;
```

```
&MyArray = CreateArray(3);
```

```
&MyArray[1] = 100;
```

```
&MyArray[2] = 200;
```

```
&MyArray[3] = 300;
```

```
&Result = &MyArray.POP();
```

```
&Len = &MyArray.LEN;
```

```
&End = &MyArray[&Len];
```

What are the correct values for &Result and &End?

A. &Result is 300

&End is 200

B. &Result is 300

&End is Null

C. &Result is 300

&End is 300

D. &Result is Null

&End is 300

E. &Result is 100

&End is 300

**Answer: A**

**Question: 2**

View the Exhibit.

**Course Session Details**

Course Code: 1011 PeopleCode

Session Details Find | View All First 1 of 21 Last

\*Session Number:  [Students Enrolled in Session](#)

\*Business Unit:  N. America - West Trn Rgn

\*Start Date:  End Date:

Max Students:  \*Session Status:

\*Training Facility:  Denver

Instructor:  Dunn

**Classroom**

Room A  Room B  Room C  
 Room D  Room E  Other

An object-oriented PeopleCode program traverses the data buffer to get the value for Session Number (SESSION\_NBR) in the Session Details record (PSU\_CRS\_SESSN) on the Course Sessions page.

The program uses a built-in function to instantiate the Level 0 object, then uses object methods to instantiate the remaining data buffer objects.

Select the option that represents the order in which the program instantiates the data buffer objects.

- A. &Row\_Level0, &Row\_Level1, &Record, &Field
- B. &Rowset\_Level0, &Row\_Level1, &Record, &Field
- C. &Rowset\_Level0, &Rowset\_Level1, &Row\_Level1, &Record, &Field
- D. &Rowset\_Level0, &Row\_Level0, &Rowset\_Level1, &Row\_Level1, &Record, &Field

**Answer: D**

**Question: 3**

Here is a snippet of PeopleCode that uses the Fetch method of the SQL class.

```
&SQL = CreateSQL("Select EFFORT_AMT from PS_PSU_TASK_EFFORT where TASK=:1",
PSU_TASK_TBL.TASK);
&Var1 = &SQL.Fetch(&Var2);
```

Select the two correct statements. (Choose two.)

- A. &Var2 specifies which row to fetch.
- B. &Var2 specifies which field to fetch.
- C. &Var1 is populated with TRUE if a row is fetched.
- D. &Var1 is populated with the number of rows returned.
- E. &Var2 is populated with EFFORT\_AMT from the row fetched.

- F. &Var1 is populated with EFFORT\_AMT from the row fetched.
- G. &Var1 is populated with EFFORT\_AMT from the first row returned.

**Answer: C, E**

**Question: 4**

The Customer Orders page uses data from the ITEM table to perform price calculations. You decide to write a PeopleCode program to create a stand-alone rowset that will load data from the ITEM table into the data buffer. Select three PeopleCode statements that can be used with stand-alone rowsets. (Choose three.)

- A. &RS\_Item = GetRowSet(SCROLL.ITEM);
- B. &RS\_Item = CreateRowSet(RECORD.ITEM);
- C. &Price = &RS\_Item(&i).ITEM.PRICE.Value;
- D. &RS\_Item.Select("Where ITEM = :1", CUST\_ORDER.ITEM);
- E. &RS\_Item.Fill("Where CUST\_TYPE = :1", CUST\_ORDER.TYPE);
- F. &RS\_Item = ScrollSelect(1, Scroll.ITEM, Record.ITEM, ("Where CUST\_TYPE = :1", CUST\_ORDER.CUST\_TYPE);

**Answer: B, C, E**

**Question: 5**

View the Exhibit.

The screenshot shows a web form titled "Review Details". At the top right, there are navigation controls: "Find | View All", "First", "1 of 3", and "Last". Below this, there are input fields for:
 

- \*Review for Year: 2002
- From Date: 04/01/2001 to 03/31/2002
- Next Review Date: 05/06/2002
- Review Days: 365

 Below the main form is a sub-section titled "Reviewer Details" with its own navigation controls: "Find", "First", "1-2 of 2", and "Last". This section contains:
 

- Review Type: Employee Self Assessment (dropdown menu)
- \*Reviewer ID: 00014 (input field) with the name Bendetto, Jessica displayed next to it.

 Plus and minus icons are visible next to the "Review for Year" and "Review Type" fields.

On the Employee Review page, you have a business rule with these requirements:

1. If Review Type is Supervisor, then the prompt for Reviewer ID returns only supervisors.
2. If Review Type is Peer or Performance, then the prompt for Reviewer ID returns all employees.

Select the three steps required to implement this business rule. (Choose three.)

- A. Associate the REVIEWER\_ID field with REVIEWER\_VW.
- B. Create REVIEWER\_VW as a dynamic view of the EMPLOYEE table.
- C. Add the DERIVED.EDITTABLE field to the page and make it invisible.
- D. Set the prompt table edit for the REVIEWER\_ID field to REVIEWER\_VW.
- E. Set the prompt table edit for the REVIEWER\_ID field to DERIVED.%EDITTABLE.
- F. Use a SQL Select statement in PeopleCode to populate the REVIEWER\_VW view.
- G. Use a conditional statement in PeopleCode to populate the DERIVED.EDITTABLE field.

**Answer: C, E, G**

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

