

310-200

SUN

Sun Certified System Administrator for the Solaris 10 OS, Part I

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 310-200 exam in first attempt and also get high scores to acquire SUN certification.

If you use OfficialCerts 310-200 Certification questions and answers, you will experience actual 310-200 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our SUN exam prep covers over 95% of the questions and answers that may be appeared in your 310-200 exam. Every point from pass4sure 310-200 PDF, 310-200 review will help you take SUN 310-200 exam much easier and become SUN certified.

Here's what you can expect from the OfficialCerts SUN 310-200 course:

- * Up-to-Date SUN 310-200 questions as experienced in the real exam.*
- * 100% correct SUN 310-200 answers you simply can't find in other 310-200 courses.*
- * All of our tests are easy to download. Your file will be saved as a 310-200 PDF.*
- * SUN 310-200 brain dump free content featuring the real 310-200 test questions.*

SUN 310-200 certification exam is of core importance both in your Professional life and SUN certification path. With SUN certification you can get a good job easily in the market and get on your path for success. Professionals who passed SUN 310-200 exam training are an absolute favorite in the industry. You will pass SUN 310-200 certification test and career opportunities will be open for you.

<http://news.ift.org/?newsid=exams.asp?examcode=310-200>



QUESTION: 1

The oldtimer printer needs to be decommissioned because the newkid printer has made it obsolete. Which sequence of commands decommissions oldtimer without losing any print requests?

A. reject oldtimer

```
mv /var/spool/lp/requests/oldtimer/*
/var/spool/lp/requests/newkid enable newkid
disable oldtimer
```

B. lpshut

```
mv /var/spool/lp/tmp/oldtimer/*
/var/spool/lp/tmp/newkid lpadmin -x oldtimer lpsched
```

C. reject oldtimer disable oldtimer

D. reject oldtimer

```
lpmove oldtimer newkid lpadmin -x oldtimer
```

Answer: D

QUESTION: 2

Your x86-based server will not boot Solaris 10 OS. You discover that you need to restore your pboot and boot block on the / (root) slice located on disk c0d0. You first boot off of the CD-ROM or DVD into single user mode. What commands should you run to restore the pboot and boot block on the slice?

A. # cd /usr/platform/^uname -m`lib/fs/ufs

```
# installboot /usr/platform/^uname -i`lib/fs/ufs/pboot \ /usr/platform/^uname -
i`lib/fs/ufs/bootblk
/dev/rdisk/c0d0s2
```

B. # cd /usr/platform/^uname -m`lib/fs/ufs

```
# install -bootblock -pboot /dev/rdisk/c0d0s0
```

C. # cd /usr/platform/^uname -m`lib/

```
# install-pboot /dev/rdisk/c0d0s2 -b bootblock /dev/rdisk/c0d0s2
```

D. # cd /usr/lib/ufs

```
# installboot /dev/rdisk/c0d0s0
```

Answer: A

QUESTION: 3

DRAG DROP

Click the Task button.

You want to network boot your system with the additional network card, which is NOT an onboard Ethernet. Place the Boot PROM commands in the correct order.

Action Required in Order	Boot PROM Command
First	ok nvalias net1
Second	ok boot net1 - install
Third	ok show-nets

Answer:

Action Required in Order	Boot PROM Command
ok nvalias net1	ok nvalias net1
ok boot net1 - install	ok boot net1 - install
ok show-nets	ok show-nets

QUESTION: 4

You have added an additional internal drive to your x86-based desktop system, and you want to get the Solaris 10 OS to recognize it. Which three procedures allow the OS to recognize the new device? (Choose three.)

- A. boot the system then execute # touch /reconfigure, and then reboot the system; confirm that you can see the new drive by executing # format.
- B. boot the system and enter the # devfsadm -v command; confirm that you can see the new drive by executing # format
- C. boot the system, and at the Current Parameters Menu, type b -r; confirm that you can see the new drive by executing # format
- D. from the system menu, select the "Add new hardware" icon; confirm that you can see the new drive by executing # format
- E. boot the system and enter the # reconfigure command; confirm that you can see the new drive by executing # format

Answer: A,B,C

QUESTION: 5

As system administrator, you are beginning the process of installing Solaris 10 OS on a new SPARC-based workstation. At the FORTH Monitor, which three will be displayed by initiating the banner command? (Choose three.)

- A. amount of memory
- B. boot device
- C. diagnostics switch
- D. Ethernet address
- E. diagnostics level
- F. input device
- G. output device
- H. OpenBoot version

Answer: A,D,H

QUESTION: 6

On a SPARC-based system, two device aliases named bootdisk01 and bootdisk02 are created. These aliases allow the boot system to boot from two different disks. Currently bootdisk01 is used by default. Which Solaris OS command amends the boot-device parameter to cause the system to boot from bootdisk02 by default?

- A. setenv boot-device=bootdisk02
- B. eeprom boot-device bootdisk02
- C. eeprom boot-device=bootdisk02
- D. setenv boot-device bootdisk02

Answer: C

QUESTION: 7

A user's system does not contain all the parts of the Solaris OS that the user needs. Which file tells you what software cluster has been installed on the user's system?

- A. /var/sadm/system/admin/CLUSTER
- B. /var/adm/system/CLUSTER
- C. /etc/issue
- D. /var/sadm/install/package/content

Answer: A

QUESTION: 8

There is a requirement to run a script every other month starting next month (March). This script is to be run every Monday, Wednesday, and Friday. Which crontab entry achieves this?

- A. 25 23 3,5,7,9,11,1 * 1,3,5 /opt/application/gather_data
- B. 25 23 * 1,3,5 3,5,7,9,11,1 /opt/application/gather_data
- C. 25 23 * 3,5,7,9,11,1 1,3,5 /opt/application/gather_data
- D. 25 23 1,3,5 * 3,5,7,9,11,1 /opt/application/gather_data

Answer: C

QUESTION: 9

Given:

```
$ id
```

```
uid=1001(test1) gid=1(other)
```

```
$ ls -al /etc/data
```

```
-r----- 1 root other 394 Jan 25 16:56 /etc/data
```

```
$ cat /etc/data
```

```
cat: cannot open /etc/data
```

Which three actions by root enables both root and test1 to read /etc/data? (Choose three.)

- A. #chown test1 /etc/data
- B. #setfacl g+r /etc/data
- C. #chmod g+r /etc/data
- D. #setfacl -m g:other:r--,m:r-- /etc/data
- E. #chgrp sys /etc/data

Answer: A,C,D

QUESTION: 10

A corrupted file system is now repaired and back in use. Some, but not all of the files within the file systems have been deleted. The only backup of this file system is a month-old tar archive. This archive will need to be restored as root. What are two effects of the restore operation? (Choose two.)

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

