

# 70-502

## Microsoft

*TS: MS.NET Frmewrk3.5, Windows Presentation Foundation  
Application Development*

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 70-502 exam in first attempt and also get high scores to acquire Microsoft certification.*

*If you use OfficialCerts 70-502 Certification questions and answers, you will experience actual 70-502 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Microsoft exam prep covers over 95% of the questions and answers that may be appeared in your 70-502 exam. Every point from pass4sure 70-502 PDF, 70-502 review will help you take Microsoft 70-502 exam much easier and become Microsoft certified.*

*Here's what you can expect from the OfficialCerts Microsoft 70-502 course:*

- \* Up-to-Date Microsoft 70-502 questions as experienced in the real exam.*
- \* 100% correct Microsoft 70-502 answers you simply can't find in other 70-502 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 70-502 PDF.*
- \* Microsoft 70-502 brain dump free content featuring the real 70-502 test questions.*

*Microsoft 70-502 certification exam is of core importance both in your Professional life and Microsoft certification path. With Microsoft certification you can get a good job easily in the market and get on your path for success. Professionals who passed Microsoft 70-502 exam training are an absolute favorite in the industry. You will pass Microsoft 70-502 certification test and career opportunities will be open for you.*

<http://news.ift.org/?newsid=exams.asp?examcode=70-502>



Section 70-502 (VB)

**Question: 1**

You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5. You create a window for the application. You need to ensure that the following requirements are met: An array of strings is displayed by using a ListBox control in a two-column format. The data in the ListBox control flows from left to right and from top to bottom. What should you do?

- A. Use a ListBox control defined in the following manner. `<ListBox Name="myList">  
<ListBox.ItemsPanel> <ItemsPanelTemplate> <UniformGrid Columns="2"/>  
</ItemsPanelTemplate> </ListBox.ItemsPanel></ListBox>` Use the following VB.net code to associate the array of strings to the ListBox control. `myList.ItemsSource = arrayOfString`
- B. Use a ListBox control defined in the following manner. `<ListBox Name="myList">  
<ListBox.ItemsPanel> <ItemsPanelTemplate> <StackPanel /> </ItemsPanelTemplate>  
</ListBox.ItemsPanel></ListBox>` Use the following vb.net code to associate the array of strings to the ListBox control. `myList.ItemsSource = arrayOfString`
- C. Use a ListBox control defined in the following manner. `<ListBox Name="myList">  
<ListBox.ItemsPanel> <ItemsPanelTemplate> <WrapPanel /> </ItemsPanelTemplate>  
</ListBox.ItemsPanel></ListBox>` Use the following vb.net code to associate the array of strings to the ListBox control. `myListView.ItemsSource = arrayOfString`
- D. Use a ListBox control defined in the following manner. `<ListBox Name="myList">  
<ListBox.ItemsPanel> <ItemsPanelTemplate> <Grid> <Grid.ColumnDefinitions>  
<ColumnDefinition /> <ColumnDefinition /> </Grid.ColumnDefinitions> </Grid>  
</ItemsPanelTemplate> </ListBox.ItemsPanel></ListBox>` Use the following vb.net code to associate the array of strings to the ListBox control. `myList.ItemsSource = arrayOfString`

**Answer: A**

**Question: 2**

You create a form by using Windows Presentation Foundation and Microsoft .NET Framework 3.5. The form contains a status bar. You plan to add a ProgressBar control to the status bar. You need to ensure that the ProgressBar control displays the progress of a task for which you cannot predict the completion time. Which code segment should you use?

- A. `progbar.IsIndeterminate = True`
- B. `progbar.IsIndeterminate = False`
- C. `progbar.HasAnimatedProperties = True`
- D. `progbar.HasAnimatedProperties = False`

**Answer: A**

**Question: 3**

You are converting a Windows Forms application to a Windows Presentation Foundation (WPF) application. You use Microsoft .NET Framework 3.5 to create the WPF application. The WPF application will reuse 30 forms of the Windows Forms application. The WPF application contains the following class definition.

```
Public Class OwnerWindow
Implements System.Windows.Forms.IWin32Window
Private handle_Renamed As IntPtr
Public Property Handle() As IntPtr _
Implements System.Windows.Forms.IWin32Window.Handle
Get
Return handle_Renamed
```

```
End Get
Set(ByVal value As IntPtr)
handle_Renamed = value
End Set
End Property
End Class
```

You write the following code segment in the WPF application. (Line numbers are included for reference only.)

```
01 Public Function LaunchWindowsFormsDialog(ByVal dialog As _
02 System.Windows.Forms.Form, ByVal wpfParent As Window) As _
03 System.Windows.Forms.DialogResult
04 Dim helper As New
05 System.Windows.Interop.WindowInteropHelper(wpfParent)
07 Dim owner As New OwnerWindow()
08
09 End Function
```

You need to ensure that the application can launch the reusable forms as modal dialogs. Which code segment should you insert at line 08?

- A. owner.Handle = helper.OwnerDim db As New System.Windows.Forms.DialogResult()Return db
- B. owner.Handle = helper.OwnerReturn dialog.ShowDialog(owner)
- C. owner.Handle = helper.OwnerDim result As Nullable(Of Boolean) = wpfParent.ShowDialog()If result.HasValue Then Return If(result.Value, System.Windows.Forms.DialogResult.OK, \_ System.Windows.Forms.DialogResult.Cancel)Else Return System.Windows.Forms.DialogResult.CancelEnd If
- D. owner.Handle = helper.HandleDim result As Nullable(Of Boolean) = wpfParent.ShowDialog()If result.HasValue Then Return If(result.Value, System.Windows.Forms.DialogResult.OK, \_ System.Windows.Forms.DialogResult.Cancel)Else Return System.Windows.Forms.DialogResult.CancelEnd If

**Answer: B**

#### **Question: 4**

You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5. You create a window in the application. You plan to select a layout control to host the elements that you add to the window.

You need to select a control that meets the following requirements with its default properties:  
The elements stretch horizontally to occupy the available width of the window.  
The elements do not stretch vertically.

Which control should you use?

- A. The Grid control
- B. The Canvas control
- C. The WrapPanel control
- D. The StackPanel control

**Answer: D**

**Question: 5**

You create a form by using Windows Presentation Foundation. You use Microsoft .NET Framework 3.5 to create the form. You add a ContextMenu control to the text box named myText on the form. You add the following menu items to the control:

Copy  
Paste

You need to ensure that the following requirements are met:

You can copy and paste text.

The ContextMenu items have input text gestures.

You can copy and paste text by either clicking the menu items or by using keyboard shortcuts.

You want to achieve this goal by using the least possible code.

Which code fragment should you use?

- A. `<TextBox Name="myText"> <TextBox.ContextMenu> <ContextMenu> <MenuItem  
Command="ApplicationCommands.Copy"/> <MenuItem  
Command="ApplicationCommands.Paste"/>  
</ContextMenu> </TextBox.ContextMenu></TextBox>`
- B. `<TextBox Name="myText"> <TextBox.CommandBindings> <CommandBinding  
Command="ApplicationCommands.Copy"/> <CommandBinding  
Command="ApplicationCommands.Paste"/> </TextBox.CommandBindings>  
<TextBox.ContextMenu>  
<ContextMenu> <MenuItem Command="ApplicationCommands.Copy" Header="Copy"  
InputGestureText="Ctrl+C"/> <MenuItem Command="ApplicationCommands.Paste"  
Header="Paste"  
InputGestureText="Ctrl+V"/> </ContextMenu> </TextBox.ContextMenu></TextBox>`
- C. `<TextBox Name="myText"> <TextBox.InputBindings> <KeyBinding  
Command="ApplicationCommands.Copy" Modifiers="Control" Key="C"/> <KeyBinding  
Command="ApplicationCommands.Paste" Modifiers="Control" Key="V"/>  
</TextBox.InputBindings>  
<TextBox.ContextMenu> <ContextMenu> <MenuItem  
Command="ApplicationCommands.Copy"  
Header="Copy" InputGestureText="Ctrl+C"/> <MenuItem  
Command="ApplicationCommands.Paste"  
Header="Paste" InputGestureText="Ctrl+V"/> </ContextMenu>  
</TextBox.ContextMenu></TextBox>`
- D. `<TextBox Name="myText"> <TextBox.InputBindings> <KeyBinding  
Command="ApplicationCommands.Copy" Modifiers="Control" Key="C"/> <KeyBinding  
Command="ApplicationCommands.Paste" Modifiers="Control" Key="V"/>  
</TextBox.InputBindings>  
<TextBox.CommandBindings> <CommandBinding Command="ApplicationCommands.Copy"/>  
<CommandBinding Command="ApplicationCommands.Paste"/>  
</TextBox.CommandBindings>  
<TextBox.ContextMenu> <ContextMenu> <MenuItem  
Command="ApplicationCommands.Copy"  
Header="Copy"/> <MenuItem Command="ApplicationCommands.Paste" Header="Paste"/>  
</ContextMenu> </TextBox.ContextMenu></TextBox>`

**Answer: A**

**Question: 6**

You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5. You need to perform the following tasks:

Add a control to a window by using the following XAML code fragment.

```
<local:RedTextControl Background="Yellow" />
```

Ensure that the background color of the control is yellow.

What should you do?

- A. Add the following code segment to a code-behind file. Public Class RedTextControl Inherits ContentControl Public Sub New() Dim tb As New TextBlock() tb.Foreground = Brushes.Red tb.Text = "Hello" Me.AddChild(tb) End Sub End Class
- B. Add the following code segment to a code-behind file. Public Class RedTextControl Inherits Control Public Sub New() Dim tb As New TextBlock() tb.Foreground = Brushes.Red tb.Text = "Hello" Me.AddLogicalChild(tb) End Sub End Class
- C. Add the following XAML code fragment to an XAML file. <UserControl x:Class="RedTextControl" xmlns="..." xmlns:x="..."> <DockPanel> <TextBlock Foreground="Red" Text="Hello" /> </DockPanel></UserControl> Add the following code segment to a code-behind file. Partial Friend Class RedTextControl Public Sub New() InitializeComponent(); Background.CoerceValue(TextBlock.BackgroundProperty); End Sub End Class
- D. Add the following XAML code fragment to an XAML file. <UserControl x:Class="RedTextControl" xmlns="..." xmlns:x="..."> <DockPanel> <TextBlock Foreground="Red" Text="Hello" /> </DockPanel></UserControl> Add the following code segment to a code-behind file. Partial Friend Class RedTextControl Inherits UserControl Public Sub New() InitializeComponent() End Sub End Class

**Answer: D**

#### **Question: 7**

You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5. You plan to add a Button control to a Canvas control. You need to ensure that exactly 10 device-independent pixels are present between the right side of the Button control and the right side of the Canvas control. Which XAML code fragment should you use?

- A. <Canvas Margin="10"> <Button>I'm a button</Button></Canvas>
- B. <Canvas> <Button Canvas.Left="10" Canvas.Right="10"> I'm a button </Button></Canvas>
- C. <Canvas Margin="10"> <Button HorizontalAlignment="Right"> I'm a button </Button></Canvas>
- D. <Canvas> <Button Canvas.Top="10" Canvas.Right="10"> I'm a button </Button></Canvas>

**Answer: D**

#### **Question: 8**

You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5.

You create a dialog window composed of a TextBox control and a Button control by using the following XAML code fragment.

```
<TextBox Width="200" AcceptsReturn="True" />  
<Button Width="80" Click="Button_Click">OK</Button>
```

You need to ensure that each time the user presses the ENTER key, the click event of the OK button is raised.

Which two actions should you perform? (Each correct answer presents part of the solution. Choose two.)

- A. Add the `IsDefault="True"` attribute to the Button element.
- B. Add the `IsTabStop="True"` attribute to the Button element.
- C. Add the `IsHitTestVisible="True"` attribute to the Button element.
- D. Add the `Focusable="False"` attribute to the TextBox element.
- E. Add the `AcceptsTab="True"` attribute to the TextBox element.
- F. Set the `AcceptsReturn` attribute value of the TextBox element to `False`.

**Answer: A, F**

**Question: 9**

You are creating a Windows Presentation Foundation (WPF) application by using Microsoft .NET Framework 3.5. You plan to implement a search functionality for a text editor. You write the following code segment for the WPF screen.

```
<DockPanel>
<WrapPanel DockPanel.Dock="Top">
<TextBox Name="tbxTextToFind" Width="200" />
<Button Name="btnFind" Width="80"
Click="btnFind_Click">Find</Button>
</WrapPanel>
<RichTextBox Name="rtbText" />
</DockPanel>
```

You need to ensure that on clicking the Find button, the value of the `tbxTextToFind` text box is selected in the `rtbText` control.

Which code segment should you use?

- A. `Dim doc As FlowDocument = rtbText.Document`  
`Dim text As String = (New TextRange(doc.ContentStart, _doc.ContentEnd)).Text`  
`Dim index As Integer = text.IndexOf(tbxTextToFind.Text)`  
`Dim start As TextPointer = doc.ContentStart.GetPositionAtOffset(index)Dim [end] As TextPointer = _start.GetPositionAtOffset(Len(tbxTextToFind.Text))`  
`rtbText.Selection.Select(start, [end])`
- B. `Dim cur As TextPointer = rtbText.Document.ContentStart`  
`While Not cur Is NothingDim [end] As TextPointer = _cur.GetPositionAtOffset(Len(tbxTextToFind.Text))`  
`If Not [end] Is Nothing ThenDim search As New TextRange(cur, [end])`  
`If search.Text = tbxTextToFind.Text ThenrtbText.Selection.Select(search.Start, search.End)`  
`Exit WhileEnd IfEnd Ifcur = cur.GetNextContextPosition(LogicalDirection.Forward)`  
`End While`
- C. `Dim cur As TextPointer = rtbText.Document.ContentStart`  
`While Not cur Is NothingDim [end] As TextPointer = _cur.GetPositionAtOffset(Len(tbxTextToFind.Text))`  
`If Not [end] Is Nothing ThenDim search As New TextRange(cur, [end])`  
`If search.Text = tbxTextToFind.Text ThenrtbText.Selection.Select(search.Start, search.End)`  
`Exit WhileEnd IfEnd Ifcur = cur.GetNextInsertionPosition(LogicalDirection.Forward)`  
`End While`
- D. `Dim doc As FlowDocument = rtbText.Document`  
`Dim text As String = (New TextRange(doc.ContentStart,`

```
_doc.ContentEnd)).TextDim index As Integer = Text.LastIndexOf(tbxTextToFind.Text)Dim start  
As TextPointer = _doc.ContentStart.GetPositionAtOffset(index + 1)Dim [end] As TextPointer =  
_start.GetPositionAtOffset(Len(tbxTextToFind.Text))rtbText.Selection.Select(start, [end])
```

**Answer: C**

**Question: 10**

You are creating a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5. You plan to add a Button control and a StatusBar control to a window. You need to ensure that the two controls meet the following requirements:

The StatusBar control sticks to the lower edge of the window.  
The Button control has the minimum required size to display its content.

Which XAML code fragment should you use?

- A. `<DockPanel> <StatusBar DockPanel.Dock="Bottom">Information</StatusBar>  
<Button>OK</Button></DockPanel>`
- B. `<StackPanel> <Button>OK</Button> <StatusBar>Information</StatusBar></StackPanel>`
- C. `<WrapPanel Orientation="Vertical"> <Button>OK</Button>  
<StatusBar>Information</StatusBar></WrapPanel>`
- D. `<DockPanel LastChildFill="False" > <WrapPanel DockPanel.Dock="Top" >  
<Button>OK</Button> </WrapPanel> <StatusBar  
DockPanel.Dock="Bottom">Information</StatusBar></DockPanel>`

**Answer: D**

**Question: 11**

You have created a Windows Presentation Foundation application by using Microsoft .NET Framework 3.5. The application, named EnterpriseApplication.exe, runs over the network. You add the WindowSize parameter and the WindowPosition parameter to the Settings.settings file by using the designer at the User Scope Level. The dimensions and position of the window are read from the user configuration file. The application must retain the original window size and position for users executing the application. You need to ensure that the following requirements are met:

The window dimensions for each user are saved in the user configuration file.  
User settings persist when a user exits the application.

Which configuration setting should you use?

- A. `Private Sub OnClosing(ByVal sender As Object, ByVal e As  
System.ComponentModel.CancelEventArgs)My.Settings.Default.WindowPosition = New  
Point(Me.Left, Me.Top)My.Settings.Default.WindowSize = New Size(Me.Width,  
Me.Height)My.Settings.Default.Save()End Sub`
- B. `Private Sub OnClosing(ByVal sender As Object, ByVal e As  
_System.ComponentModel.CancelEventArgs)Dim appKey As RegistryKey =  
_Registry.CurrentUser.CreateSubKey("Software\EnterpriseApplication")Dim settingsKey As  
RegistryKey =  
_appKey.CreateSubKey("WindowSettings")Dim windowPositionKey As RegistryKey =  
_settingsKey.CreateSubKey("WindowPosition")Dim windowSizeKey As RegistryKey =  
_settingsKey.CreateSubKey("WindowSize")windowPositionKey.SetValue("X",  
Me.Left)windowPositionKey.SetValue("Y", Me.Top)windowSizeKey.SetValue("Width",  
Me.Width)windowSizeKey.SetValue("Height", Me.Height)End Sub`



## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

