

920-332

Nortel

Communication Server 1000 Rls.5.0 Install and Commissioning

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 920-332 exam in first attempt and also get high scores to acquire Nortel certification.

If you use OfficialCerts 920-332 Certification questions and answers, you will experience actual 920-332 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Nortel exam prep covers over 95% of the questions and answers that may be appeared in your 920-332 exam. Every point from pass4sure 920-332 PDF, 920-332 review will help you take Nortel 920-332 exam much easier and become Nortel certified.

Here's what you can expect from the OfficialCerts Nortel 920-332 course:

- * Up-to-Date Nortel 920-332 questions as experienced in the real exam.*
- * 100% correct Nortel 920-332 answers you simply can't find in other 920-332 courses.*
- * All of our tests are easy to download. Your file will be saved as a 920-332 PDF.*
- * Nortel 920-332 brain dump free content featuring the real 920-332 test questions.*

Nortel 920-332 certification exam is of core importance both in your Professional life and Nortel certification path. With Nortel certification you can get a good job easily in the market and get on your path for success. Professionals who passed Nortel 920-332 exam training are an absolute favorite in the industry. You will pass Nortel 920-332 certification test and career opportunities will be open for you.

<http://news.ift.org/?newsid=exams.asp?examcode=920-332>



Question: 1

A customer has installed the system components of a Communication Server (CS) 1000E system and has powered-up the system. Which visual indicator helps the customer differentiate whether a CP-PM card is running as a Call Server or a Signaling Server?

- A. Main Status LED
- B. FMD/HD Status LED
- C. Call Server Redundancy LED
- D. Embedded LAN (ELAN) Connection Status Link LED

Answer: C

Question: 2

A customer is planning to install a CP-PM Signaling Server into their Communication Server (CS) 1000 RIs. 5.0 Communication Server 1000E system. Which two hardware components or combinations does the customer need to identify in order to distinguish the CP-PM card as a Signaling Server? (Choose two.)

- A. Switch 5 set to Position 1
- B. Switch 5 set to Position 2
- C. two Compact Flash Drives (one RMD and one FMD)
- D. one Compact Flash Drive (RMD) and One Hard Drive (FMD)

Answer: B, D

Question: 3

A customer is planning system requirements for their Communication Server (CS) 1000E High Availability (HA) system. Based on system capabilities and system capacities with RIs. 5.0, which is the maximum number of Media Gateway 1000E systems supported?

- A. 5
- B. 20
- C. 30
- D. 50

Answer: D

Question: 4

A customer has a Communication Server (CS) 1000E system with a cost optimized gateway controller and DSP daughterboards that support 96 VoIP voice gateway resources. The CS 1000E supports CeMux PSTN access cards in the Media Gateway 1000E, reducing the overall cost and complexity of the system. Based on these requirements, which is the recommended RIs. 5.0 hardware for the customer?

- A. CP-PM Call Server and MGC with High-Density DSP Daughterboard
- B. CP-PM Call Server, MGC without DSP Daughterboards, and MC 32S
- C. CP-PIV Call Server, MGC without DSP Daughterboards, and MC 32S
- D. CP-PM Call Server and Media Gateway Controller (MGC) with Low-Density DSP Daughterboard

Answer: A

Question: 5

A customer has a Communication Server (CS) 1000E system with a cost optimized gateway controller and DSP daughterboards that support 160 VoIP voice gateway resources. The CS

1000E supports CeMux PSTN access cards in the Media Gateway 1000E, reducing the overall cost and complexity of the system. Based on these requirements, which is the recommended RIs. 5.0 hardware for the customer?

- A. CP-PM Call Server, MGC with High-Density Daughterboard, and MC 32S
- B. CP-PM Call Server and MGC with Low-Density and High-Density DSP Daughterboards
- C. CP-PM Call Server, MGC with Low and High-Density DSP Daughterboards, and MC 32S
- D. CP-PM Call Server and Media Gateway Controller (MGC) with Low-Density DSP Daughterboard

Answer: C

Question: 6

A customer has deployed a Communication Server (CS) 1000E network with a primary and a secondary site. In the event that the primary system fails, the customer requires each system backs up the IP telephones on the other system. The customer has been told this is possible and will require duplicate IP Phone Licenses on the second system. Which Redundant configuration is required?

- A. 1 + 1 configuration
- B. Campus Redundancy
- C. Controlled Load-sharing
- D. Survivable Media Gateway

Answer: C

Question: 7

A customer has deployed a Communication Server (CS) 1000E network with a primary and a secondary site. In the event the primary system fails, the customer requires the user database to be replicated from the primary site to the secondary site. Which Geographic Redundancy configuration meets the customers needs?

- A. CPP Redundancy
- B. Campus Redundancy
- C. Controlled Load-sharing
- D. Survivable Media Gateway

Answer: D

Question: 8

A customer has imported the node files from the Signaling Server to the Call Server in Element Manager. The customer sends the node configuration files to all IP Telephony components in the node using the Transfer/Status button. The Transfer/Status button on the Transfer/Status web page is yellow. What does this indicate?

- A. The transfer status of the node is in progress.
- B. The node configuration is transferred to the elements.
- C. The transfer status of the node elements is unavailable.
- D. An element within the node failed to transfer the BOOTP or CONFIG files.

Answer: C

Question: 9

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/all exams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/all exams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

