

# 920-462

## Nortel

### Ethernet Switching

*OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your 920-462 exam in first attempt and also get high scores to acquire Nortel certification.*

*If you use OfficialCerts 920-462 Certification questions and answers, you will experience actual 920-462 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Nortel exam prep covers over 95% of the questions and answers that may be appeared in your 920-462 exam. Every point from pass4sure 920-462 PDF, 920-462 review will help you take Nortel 920-462 exam much easier and become Nortel certified.*

*Here's what you can expect from the OfficialCerts Nortel 920-462 course:*

- \* Up-to-Date Nortel 920-462 questions as experienced in the real exam.*
- \* 100% correct Nortel 920-462 answers you simply can't find in other 920-462 courses.*
- \* All of our tests are easy to download. Your file will be saved as a 920-462 PDF.*
- \* Nortel 920-462 brain dump free content featuring the real 920-462 test questions.*


*Nortel 920-462 certification exam is of core importance both in your Professional life and Nortel certification path. With Nortel certification you can get a good job easily in the market and get on your path for success. Professionals who passed Nortel 920-462 exam training are an absolute favorite in the industry. You will pass Nortel 920-462 certification test and career opportunities will be open for you.*

<http://news.ift.org/?newsid=exams.asp?examcode=920-462>



**QUESTION 1:**

Exhibit:



For the network configuration exhibit provided, the customer has the following requirements:

1. For a source IP address of 10.1.1.1 set DSCP=CSP (111000)
2. For all http flows (TCP port=80), set DSCP=AF31(011010)
3. For all other traffic, set DSCP=AF11(001010)
4. Configure the ingress port 1-5 and 1-31 as trusted
5. Configure the egress port 1-5 and 1-31 as trusted.


Based on the customer's requirements and the exhibit, regardless of the ingress VLAN on port 1-2 of the Passport 8600, in what order will the DiffServ be remarks?

- A. AF 11 for all traffic  
 AF31 for traffic from any flow with TCP port number 80  
 CS7 for traffic from host 10.1.1.1
- B. AF11 for all traffic  
 CS7 for traffic from host 10.1.1.1  
 AF31 for traffic from any flow with TCP port number 80
- C. AF31 for traffic from any flow with TCP port number 80  
 CS7 for traffic from host 10.1.1.1  
 AF11 for other flows
- D. CS7 for traffic from host 10.1.1.1  
 AF31 for traffic from any flow with TCP port number 80  
 AF 11 for other flows

Answer: D

**QUESTION 2:**

Exhibit:



Which commands will configure the labelled Ethernet ports appropriately?

- A. Configure Ethernet 3/1 enable-diffserv true  
Configure Ethernet 1/1 access-diffserv true
- B. Configure Ethernet 3/1 enable-diffserv true  
Configure Ethernet 1/1 access-diffserv false
- C. Configure Ethernet 1/1,3/1 enable-diffserv true  
Configure Ethernet 1/1 access-diffserv true
- D. Configure Ethernet 1/1,3/1 enable-diffserv true  
Configure Ethernet 1/1 access-diffserv true

Answer: C

---

### QUESTION 3:

You need to prioritize all incoming traffic on untagged port 3/1 on a passport 8600 to the expedited forwarding PHB traffic service class. Which command will configure the correct internal QoS level?

- A. Configure Ethernet 3/1 qos-level 4
- B. Configure Ethernet 3/1 qos-level 5
- C. Configure Ethernet 3/1 qos-level 6
- D. Configure Ethernet 3/1 qos-level phb-expedited

Answer: C

---

### QUESTION 4:

Certkiller .com requires that a particular server be monitored for traffic on a specific port and generate an alarm if this traffic is discovered. Which management information base (MIB) action can be implemented to perform this task?

- A. Search the event history for the traffic event.
- B. Use RMON to set an alarm for user-defined events.
- C. Use the OM analysis tool to analyze all OMs to locate any events.
- D. Assign an alarm trap to the event and monitor the trap indicator for traps.

Answer: B

---

### QUESTION 5:

Certkiller .com with a passport 8300 switch wants to implement RMON. What is required for the implementation of RMON?

- A. The implementation of RMON requires a config? row for Ethernet statistics which appears as port 0/1?
- B. The implementation of RMON requires a config? row for Ethernet statistics which appears as port 1/0?
- C. The implementation of RMON requires a control? row for Ethernet statistics which appears as port 0/1?

## OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

*You have made the*  
**Right Choice**

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

