

000-543

IBM

DB2 9.7 Application Development

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=000-543>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 000-543 exam in first attempt, but also you can get a high score to acquire IBM certification.

If you use pass4sureofficial 000-543 Certification questions and answers, you will experience actual 000-543 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our IBM exam prep covers over 95% of the questions and answers that may be appeared in your 000-543 exam. Every point from pass4sure 000-543 PDF, 000-543 review will help you take IBM 000-543 exam much easier and become IBM certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial IBM 000-543 course:

- * Up-to-Date IBM 000-543 questions taken from the real exam.
- * 100% correct IBM 000-543 answers you simply can't find in other 000-543 courses.
- * All of our tests are easy to download. Your file will be saved as a 000-543 PDF.
- * IBM 000-543 brain dump free content featuring the real 000-543 test questions.

IBM 000-543 certification exam is of core importance both in your Professional life and IBM certification path. With IBM certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-543 exam training are an absolute favorite in the industry. You will pass IBM 000-543 certification test and career opportunities will be open for you.



Exam Name:	DB2 9.7 Application Development		
Exam Type:	IBM	Exam Code:	000-543
Certification	IBM DB2	Total Questions:	99

Question: 1

Which condition will prevent a developer from using the DB2 Call Level Interface in an application?

- A. The developer must control the cursor names to comply with company naming standards.
- B. An SQL precompiled is not available to the developer.
- C. The application must create an external scalar function with the CREATE FUNCTION statement.
- D. The DECLARE CURSOR statement needs to be used.

Answer: D

Question: 2

The statement below was used to create a cursor named CSR1:

```
DECLARE csr1 DYNAMIC SCROLL CURSOR FOR
SELECT * FROM employee;
```

After fetching all of the rows in the result set associated with cursor CSR1, which two statements can be used to fetch the data starting at the end of the result set? (Choose two.)

- A. FETCH LAST
- B. FETCH PRIOR
- C. FETCH RELATIVE
- D. FETCH OFFSET

Answer: B, C

Question: 3

Click the Exhibit button.

```
CREATE TABLE store(sid INTEGER, info XML);
INSERT INTO store VALUES (1,
'<storeinfo sid="1">
<name>Grocery A</name>
<items>
<fruit><name>Mango</name><price>1.20</price></fruit>
<fruit><name>Apple</name><price>0.50</price></fruit>
<dessert><name>Ice Cream</name><price>6.00</price></dessert>
</items>
</storeinfo>');

```

Given the statements shown in the exhibit, a user executes the query shown below: XQUERY for \$store in db2-fn:xmlcolumn('STORE.INFO')/storeinfolet \$items := \$store/items/fruit, \$count := fn:count(\$items) return <itemcount>\$count</itemcount>

What is the output?

- A. 2
- B. <itemcount>2</itemcount>
- C. <itemcount>1</itemcount>
- D. <itemcount>\$count</itemcount>

Answer: D

Question: 4

You have created a stored procedure (MULTIRESULTS()) on the server which will return multiple result sets. While developing a PHP application using the IBM_DB2 extension, you want to call the stored procedure. The code shown below will execute the stored procedure: \$stmt = db2_exec(\$conn, 'CALL multiResults()'); How can you fetch all of the result sets from \$stmt?

Exam Name:	DB2 9.7 Application Development		
Exam Type:	IBM	Exam Code:	000-543
Certification	IBM DB2	Total Questions:	99

- A. Call db2_fetch_object(\$stmt) for the first result set; call db2_next_result(\$stmt) for more result sets.
- B. Call db2_next_result(\$stmt) for each result set.
- C. Call db2_fetch_object(\$stmt) for each result set.
- D. Call db2_next_result(\$stmt) for each result set; call db2_fetch_object(\$stmt) for each row in the result set.

Answer: A

Question: 5

An existing table has the definition shown below:

```
CREATE TABLE hr.employees (empid INTEGER NOT NULL PRIMARY KEY,deptno
INTEGER,authid VARCHAR(255), salary DECIMAL (10,2), commission DECIMAL (5,3)
DEFAULT 0,benefits XML ) Only members of the HR_ADMIN group have privilege to SELECT,
INSERT, UPDATE, or DELETE from the HR.EMPLOYEES table. A Web-based application is
under development that connects to the database with a user's AUTHID and enables a user to
see their record. No other records are visible. Which type of database object can be created by a
member of the HR_ADMIN that provides the necessary information without changing the
privileges on the HR.EMPLOYEES table?
```

- A. Trigger
- B. View
- C. Alias
- D. Index

Answer: B

Question: 6

```
The table shown below contains a large number of financial transactions: CREATE TABLE
webstore.transactions (transaction_id INTEGER NOT NULL PRIMARY KEY, order_date
TIMESTAMP NOT NULL, shipped_date TIMESTAMP, customer_id INTEGER NOT NULL,
shipping_info XML NOT NULL, billing_info XML NOT NULL, invoice XML NOT NULL ) Only
members of the AUDIT_TEAM group have SELECT privilege on the WEBSTORE.
TRANSACTIONS table. For appropriate supply-chain management, members of the
INVENTORY_CONTROL group need to see the INVOICE document for each transaction that
has a NULL SHIPPED_DATE, but are restricted from seeing any shipping or billing information.
Which database object can a member of the AUDIT_TEAM group create to enable the
INVENTORY_CONTROL group to access the information needed from
WEBSTORE.TRANSACTIONS?
```

- A. Alias
- B. Sequence
- C. Trigger
- D. View

Answer: D

Question: 7

A database contains two tables with the same definition and authorities:

```
PRODUCTION.SALESDATA and TEST.SALESDATA. The PRODUCTION.SALESDATA table
contains business-critical information that is constantly changing; the TEST.
SALESDATA table contains a snapshot of the PRODUCTION.SALESDATA table. Business rules require that
applications under development access the TEST.SALESDATA table until ready for deployment.
Once an application is deployed, it accesses the PRODUCTION.SALESDATA table. Which
```

Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

