

000-744

IBM

DS4000 Technical Version 1

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=000-744>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 000-744 exam in first attempt, but also you can get a high score to acquire IBM certification.

If you use pass4sureofficial 000-744 Certification questions and answers, you will experience actual 000-744 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our IBM exam prep covers over 95% of the questions and answers that may be appeared in your 000-744 exam. Every point from pass4sure 000-744 PDF, 000-744 review will help you take IBM 000-744 exam much easier and become IBM certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial IBM 000-744 course:

- * Up-to-Date IBM 000-744 questions taken from the real exam.
- * 100% correct IBM 000-744 answers you simply can't find in other 000-744 courses.
- * All of our tests are easy to download. Your file will be saved as a 000-744 PDF.
- * IBM 000-744 brain dump free content featuring the real 000-744 test questions.

IBM 000-744 certification exam is of core importance both in your Professional life and IBM certification path. With IBM certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-744 exam training are an absolute favorite in the industry. You will pass IBM 000-744 certification test and career opportunities will be open for you.



QUESTION: 1

You arrive at a customer site to implement the DS4000 solution and find that the customer wants to use RAID 1+0 instead of RAID 5 for everything. What is a possible concern in this situation?

- A. capacity
- B. random IO performance
- C. throughput performance
- D. disk rebuild times

Answer: A

QUESTION: 2

What is the minimum number of HDDs required for RAID 6?

- A. 1
- B. 2
- C. 3
- D. 4

Answer: D

QUESTION: 3

Three hosts are redundantly connected to a DS4000 system. Two are running a non-clustered Windows 2003 Server and the other is running Red Hat Linux. How many Storage Partitions are used in this configuration?

- A. 0
- B. 1
- C. 3
- D. 8

Answer: C

QUESTION: 4

When creating a FlashCopy of a logical drive, a repository logical drive is created. The repository logical drive is for metadata and copy-on-write data when a change is made to the FlashCopy source logical drive. By default, what is its size?

- A. 10% of the source volume
- B. 20% of the source volume
- C. 50% of the source volume
- D. 100% of the source volume

Answer: B

QUESTION: 5

Which statement is FALSE regarding hot spare drives in the DS4000 subsystem?

- A. The storage server will attempt to find a spare in the same enclosure as the failed drive first.
- B. The storage server will give preference to a spare the same size as the failed drive.
- C. The storage server will use a spare with at least the same capacity as the failed drive.
- D. The controller may use a spare that is larger than the failed drive and block the remaining capacity from use.

Answer: B

QUESTION: 6

When performing an array migration, what is NOT required?

- A. verification that there is no logical drive name duplication between the source and target systems
- B. removal of mappings for all logical drives within the array being migrated
- C. documenting the stripe order of the drives in the array for proper placement on the target subsystem
- D. Advanced Maintenance Place Array Offline

Answer: C

QUESTION: 7

What best describes a drive in eplaced status?

- A. a drive that has replaced a failed drive and needs to be revived in order to complete the data recovery process
- B. a temporary status for a drive that has replaced a failed drive, but has not yet been reconstructed
- C. a hot spare that has spared out for a failed drive in an array causing the hot spare to become the active drive in the array
- D. the final state of a drive that has replaced a failed drive and has been reconstructed

Answer: B

QUESTION: 8

When examining a profile you see the following:

Drive at Enclosure 5, Slot 8 [mirrored pair with drive at enclosure 5, slot 9]

Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 8]

How should this be configured for enclosure loss protection?

- A. Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 9] Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 9]
- B. Drive at Enclosure 3, Slot 1 [mirrored pair with drive at enclosure 5, slot 9] Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 3, slot 1]
- C. Drive at Enclosure 5, Slot 17 [mirrored pair with drive at enclosure 5, slot 9] Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 5, slot 17]
- D. Drive at Enclosure 5, Slot 9 [mirrored pair with drive at enclosure 15, slot 19] Drive at Enclosure 15, Slot 19 [mirrored pair with drive at enclosure 5, slot 9]

Answer: B

QUESTION: 9

What is one disadvantage of managing a storage subsystem through the Fibre Channel IO path?

- A. The fibre cable used for data IO cannot be used for management commands.
- B. An access logical drive is required to communicate with the controllers.
- C. Management commands cannot be encapsulated by the Fibre Channel protocol.
- D. Ethernet cables to the controllers are also required to send management commands.

Answer: B

QUESTION: 10

In addition to the storage administrator's e-mail address, what information do you need to set up e-mail alerts to be sent to the storage administrator?

- A. sender's SMTP server address, the sender's e-mail address
- B. sender's POP server address, the sender's e-mail address
- C. storage administrator's POP server address, the sender's e-mail address
- D. storage administrator's SMTP server address, the sender's e-mail address

Answer: A

QUESTION: 11

A customer wants to use SATA drives to reduce costs. Which application matches SATA use?

- A. TSM
- B. Exchange
- C. application with low IOPS
- D. write once, read many times

Answer: C

QUESTION: 12

Which statement about DS4000 firmware upgrades is true?

- A. The controller firmware and NVSRAM files are closely tied to each other and must be installed in the proper combination.

Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

