

70-316

Microsoft

Developing and Implementing Windows based Application with Microsoft Visual C# .NET

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=70-316>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 70-316 exam in first attempt, but also you can get a high score to acquire Microsoft certification.

If you use pass4sureofficial 70-316 Certification questions and answers, you will experience actual 70-316 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Microsoft exam prep covers over 95% of the questions and answers that may be appeared in your 70-316 exam. Every point from pass4sure 70-316 PDF, 70-316 review will help you take Microsoft 70-316 exam much easier and become Microsoft certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial Microsoft 70-316 course:

- * Up-to-Date Microsoft 70-316 questions taken from the real exam.
- * 100% correct Microsoft 70-316 answers you simply can't find in other 70-316 courses.
- * All of our tests are easy to download. Your file will be saved as a 70-316 PDF.
- * Microsoft 70-316 brain dump free content featuring the real 70-316 test questions.

Microsoft 70-316 certification exam is of core importance both in your Professional life and Microsoft certification path. With Microsoft certification you can get a good job easily in the market and get on your path for success. Professionals who passed Microsoft 70-316 exam training are an absolute favorite in the industry. You will pass Microsoft 70-316 certification test and career opportunities will be open for you.



Question: 1.

You use Visual Studio .NET to create a component named Request. This component includes a method named AcceptEXRequest, which tries to process new user requests for services.

AcceptEXRequest calls a private function named Validate.

You must ensure that any exceptions encountered by Validate are bubbled up to the parent form of Request. The parent form will then be responsible for handling the exceptions. You want to accomplish this goal by writing the minimum amount of code.

What should you do?

- A. Use the following code segment in AcceptESRequest:
`this.Validate();`
- B. Use the following code segment in AcceptESRequest:
`try { this.Validate(); }
catch(Exception ex) { throw ex;}`
- C. Use the following code segment in AcceptESRequest:
`try { this.Validate();}
catch(Exception ex) {throw new Exception("Exception in AcceptESRequest", ex); }`
- D. Create a custom Exception class named RequestException by using the following code segment:
`public class RequestException:ApplicationException { public RequestException():base() {}
public RequestException
(string message):base(message) { }
public RequestException(string message, Exception inner):base(message, inner) { } }`
In addition, use the following code segment in AcceptESRequest:
`try {this.Validate(); } catch(Exception ex) { throw new RequestException("Exception in
AcceptESRequest", ex); }`

Answer: A

Explanation:

The unhandled exception automatically will be thrown to the client application. This solution meets the requirement that the least amount of code should be used.

Not B: Options A and B produce the same result. Option A is better solution because of minimized coding. Catching and just throwing an exception in the catch block, without any additional processing is meaningless.

Question: 2.

You work as software developer at XYZ inc. You need to develop a Windows form that provides online help for users. You want the help functionality to be available when users press the F1 key.

Help text will be displayed in a pop-up window for the text box that has focus.

To implement this functionality, you need to call a method of the HelpProvider control and pass the text box and the help text.

What should you do?

- A. SetShowHelp
- B. SetHelpString
- C. SetHelpKeyword
- D. ToString

Answer: B

Explanation:

To associate a specific Help string with another control, use the SetHelpString method. The string that you associate with a control using this method is displayed in a pop-up window when the user presses the F1 key while the control has focus.

Reference:

Visual Basic and Visual C# Concepts, Introduction to the Windows Forms HelpProvider Component

Question: 3.

You develop a Windows-based application that enables to enter product sales. You add a subroutine named XYZ.

You discover that XYZ sometimes raises an IOException during execution. To address this problem you create two additional subroutines named LogError and CleanUp. These subroutines are governed by the following rules:

- LogError must be called only when XYZ raises an exception.
- CleanUp must be called whenever XYZ is complete.

You must ensure that your application adheres to these rules. Which code segment should you use?

- A.

```
try {
    XYZ();
    LogError();
}
catch (Exception e) {
    CleanUp(e);
}
```
- B.

```
try {
    XYZ();
}
catch (Exception e) {
    LogError(e);
    CleanUp();
}
```
- C.

```
try {
    XYZ();
}
catch (Exception e) {
    LogError(e);
}
finally {
    CleanUp();
}
```
- D.

```
try {
    XYZ();
} catch (Exception e) {
    CleanUp(e);
}
finally {
```

```
    LogError();  
}
```

Answer: C.

Explanation:

We must use a try...catch...finally construct. First we run the Comapany() code in the try block. Then we use the LogError() subroutine in the catch statement since all exceptions are handled here. Lastly we put the CleanUp() subroutine in the finally statement since this code will be executed regardless of whether an exception is thrown or not.

Reference:

70-306/70-316 Training kit, Page 237.

Incorrect Answers

- A: LogError should not run each time, only when an exception occurs. It should be placed in the catch block, not in the try block.
- B: CleanUp should not run only when an exception occurs. It should run when no exception occurs as well. It should be put in the finally block not in the catch block.
- D: CleanUp must be put in the finally block, and LogError in the catch block. Not the opposite way around.

Question: 4.

You use Visual Studio .NET to create a Windows-based application. The application includes a form named XYZForm, which displays statistical date in graph format. You use a custom graphing control that does not support resizing.

You must ensure that users cannot resize, minimize, or maximize XYZForm. Which three actions should you take? (Each answer presents part of the solution. Choose three)

- A. Set XYZForm.MinimizeBox to False.
- B. Set XYZForm.MaximizeBox to False.
- C. Set XYZForm.ControlBox to False.
- D. Set XYZForm.ImeMode to Disabled.
- E. Set XYZForm.WindowState to Maximized.
- F. Set XYZForm.FormBorderStyle to one of the Fixed Styles.
- G. Set XYZForm.GridSize to the appropriate size.

Answer: A, B & F

Explanation:

We disable the Minimize and Maximize buttons with the XYZForm.Minimizebox and the XYZForm.Maximizebox properties. Furthermore we should use a fixed FormBorderStyle to prevent the users from manually resizing the form.

Reference:

Visual Basic and Visual C# Concepts, Changing the Borders of Windows Forms
.NET Framework Class Library, Form.MinimizeBox Property [C#]
.NET Framework Class Library, Form.MaximizeBox Property [C#]

Question: 5.

You develop an application that includes a Contact Class. The contact class is defined by the following code:

```
public class Contact{
```

```
private string name;  
public event EventHandler ContactSaved;
```

```
public string Name {  
    get {return name;}  
    set {name = value;}  
}
```

```
public void Save () {  
    // Insert Save code.  
    // Now raise the event.  
    OnSave();  
}
```

```
public virtual void OnSave() {  
    // Raise the event:  
    if (ContactSaved != null) {  
        ContactSaved(this, null);  
    }  
}
```

You create a form named XYZForm. This form must include code to handle the ContactSaved event raised by the Contact object. The Contact object will be initialized by a procedure named CreateContact.

Which code segment should you use?

A.

```
private void HandleContactSaved() {  
    // Insert event handling code.  
}
```

```
private void CreateContact() {  
    Contact oContact = new Contact();  
    oContact.ContactSaved +=  
    new EventHandler(HandleContactSaved);  
    oContact.Name = "XYZ";  
    oContact.Save();  
}
```

B.

```
private void HandleContactSaved(  
    object sender, EventArgs e) {  
    // Insert event handling code.  
}
```

.

```
private void CreateContact() {  
    Contact oContact = new Contact();  
    oContact.Name = "XYZ";  
    oContact.Save(); }
```

C.

```
private void HandleContactSaved(  
    object sender, EventArgs e) {  
    // Insert event handling code.  
}  
private void CreateContact() {  
    Contact oContact = new Contact();  
    oContact.ContactSaved +=  
    new EventHandler (HandleContactSaved);
```

```

oContact.Name = "XYZ";
oContact.Save(); }
D. private void HandleContactSaved(Object sender, EventArgs e) {
    // Insert event-handling code.
}

private void CreateContact() {
    Contact oContact = new Contact();
    new EventHandler(HandleContactSaved);
    oContact.Name = "XYZ";
    oContact.Save(); }

```

Answer: C

Explanation:

The delegate is correctly declared with appropriate parameters: private void Handle Contact Saved (**object sender, EventArgs**) The association between the delegate and the event is correctly created with the += operator: oContact.ContactSaved += new EventHandler (HandleContactSaved)

Note: An event handler is a method that is called through a delegate when an event is raised, and you must create associations between events and event handlers to achieve your desired results. In C# the += operator is used to associate a delegate with an event..

Reference:

70-306/70-316 Training kit, Implementing Event Handlers, Pages 143-144

Incorrect Answers

- A: The declaration of the delegate do not contain any parameters. private void HandleContactSaved()
- B: There is no association made between the delegate and the event.
- D: The association between the delegate an the event is incorrect. The += operator must be used: new EventHandler(HandleContactSaved)

Question: 6.

You use Visual Studio .NET to develop a Windows-based application that interacts with a Microsoft SQL Server database. Your application contains a form named CustomerForm. You add the following design-time components to the form:

- SqlConnection object named XYZConnection.
- SqlDataAdapter object named XYZDataAdapter.
- DataSet object named XYZDataSet.
- Five TextBox controls to hold the values exposed by XYZDataSet.

At design time, you set the DataBindings properties of each TextBox control to the appropriate column in the DataTable object of XYZDataSet. When you test the application, you can successfully connect to the database. However, no data is displayed in any text boxes.

You need to modify your application code to ensure that data is displayed appropriately. Which behavior should occur while the CustomerForm.Load event handler is running?

- A. Execute the Add method of the TextBoxes DataBindings collection and pass in XYZDataSet.
- B. Execute the BeginInit method of XYZDataSet.
- C. Execute the Open method of XYZConnection.
- D. Execute the FillSchema method of XYZDataAdapter and pass in XYZDataSet.

Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

