

000-376

IBM

IBM WebSphere MQ V7.0, Solution Design

Visit: <http://www.pass4sureofficial.com/exams.asp?examcode=000-376>

Pass4sureofficial.com is a reputable IT certification examination guide, study guides and audio exam provider, we not only ensure that you pass your 000-376 exam in first attempt, but also you can get a high score to acquire IBM certification.

If you use pass4sureofficial 000-376 Certification questions and answers, you will experience actual 000-376 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our IBM exam prep covers over 95% of the questions and answers that may be appeared in your 000-376 exam. Every point from pass4sure 000-376 PDF, 000-376 review will help you take IBM 000-376 exam much easier and become IBM certified. All the Questions/Answers are taken from real exams.

Here's what you can expect from the Pass4sureOfficial IBM 000-376 course:

- * Up-to-Date IBM 000-376 questions taken from the real exam.
- * 100% correct IBM 000-376 answers you simply can't find in other 000-376 courses.
- * All of our tests are easy to download. Your file will be saved as a 000-376 PDF.
- * IBM 000-376 brain dump free content featuring the real 000-376 test questions.

IBM 000-376 certification exam is of core importance both in your Professional life and IBM certification path. With IBM certification you can get a good job easily in the market and get on your path for success. Professionals who passed IBM 000-376 exam training are an absolute favorite in the industry. You will pass IBM 000-376 certification test and career opportunities will be open for you.



Exam Name:	IBM WebSphere MQ V7.0, Solution Design		
Exam Type:	IBM		
Exam Code:	000-376	Total Questions:	98

Question: 1

Which new feature in WebSphere MQ V7.0 needs to be taken into account when WebSphere MQ solutions are deployed into mixed z/OS and distributed environments?

- A. Queue sharing groups are now available between z/OS and other platforms; however, at least one queue manager in the group must still be hosted on z/OS.
- B. The use of WebSphere MQ Explorer for the administration of z/OS based queue managers no longer requires a license for the Client Attachment Feature (CAF) for a limited number of users.
- C. WebSphere MQ Client applications from distributed environments can now directly connect to z/OS queue managers; the Client Attachment Feature (CAF) is no longer required.
- D. A WebSphere MQ Client implementation on z/OS is now available, so that full WebSphere MQ no longer needs to be installed on all z/OS systems that want to participate in message queuing.

Answer: B

Question: 2

An application queue is triggered for trigger type of DEPTH. Following this, what action should the job or program that was started as a result of the trigger take before it ends, so that the queue will be triggered again the next time that trigger depth (TRIGDPTH) is reached?

- A. It needs to use MQSET or an ALTER QLOCAL command to reset triggering (TRIGGER) for the queue.
- B. It needs to reset trigger depth (TRIGDPTH) for the queue through an MQSET or ALTER QLOCAL command.
- C. It needs to reset trigger depth (TRIGDPTH) and triggering (TRIGGER) for the queue, using MQSET or an ALTER QLOCAL command.
- D. No action needs to be taken. The queue manager will create the next trigger message when the current depth of the queue once again reaches trigger depth (TRIGDPTH).

Answer: A

Question: 3

An application is required to retrieve rows from a relational database table and send them across WebSphere MQ to a remote queue manager, where a receiving application consumes them. After a successful MQPUT of a message, the corresponding row is to be deleted from the database. It is intended to run this application using the free WebSphere MQ Client. The delivery of each message is to be guaranteed. Which of the following is true about this implementation?

- A. It cannot be done using the free WebSphere MQ Client; the Extended Transactional Client is required, since two phase commits are needed for this solution.
- B. It cannot be done using the free WebSphere MQ Client; a local queue manager is required to support the guaranteed delivery of the messages.
- C. This solution can be implemented using the free WebSphere MQ Client, provided that the receiving application can recognize and handle repeated delivery of the same message.
- D. This solution cannot be implemented using the free WebSphere MQ Client; persistent messaging is not supported by the free WebSphere MQ Client.

Answer: C

Question: 4

A solution developer is writing a C language application on a UNIX platform. There is a requirement for the transactions to be processed within syncpoint control. What is the MINIMUM required MQ component on the application platform to achieve this functionality?

Exam Name:	IBM WebSphere MQ V7.0, Solution Design		
Exam Type:	IBM		
Exam Code:	000-376	Total Questions:	98

- A. WebSphere MQ Client Installation
- B. WebSphere MQ Extended Transactional Client Installation
- C. WebSphere MQ Server Installation
- D. WebSphere MQ Server Installation with the XA capabilities configured

Answer: A

Question: 5

A master data management solution has been implemented for the enterprise. Updates with customer and product data need to be distributed to several applications. What is the BEST approach given that not all applications might be interested in every customer type?

- A. Use the publish/subscribe paradigm.
- B. Receive updates on application-specific queues. Message properties and selectors should be used for filtering.
- C. Browse a common queue for updates.
- D. Use a request-reply pattern and query the MDM (Master Data Management) application.

Answer: A

Question: 6

A new WebSphere MQ application with high volume requirements is being designed to run on Solaris. The solution designer is concerned about the performance of the application. The WebSphere MQ for Solaris V7 Performance Evaluation Report SupportPac provides all but one of the following types of information to the solution designer. Which is NOT discussed in this document?

- A. Suggestions for tuning WebSphere MQ
- B. Information that can be used to size the company new application
- C. Evaluation of the relative cost of one WebSphere MQ API vs. another in different scenarios
- D. Evaluation of the relative cost of persistent messages vs. nonpersistent messages in different scenarios

Answer: C

Question: 7

Which of the following should generally be avoided if an application is being designed for optimal efficiency?

- A. Make messages nonpersistent if they do not need to be recoverable.
- B. Code programs to open and close queues, or connect and disconnect from the queue manager only once, if the queues or connection will be used again.
- C. Bundle the data to be transmitted into as few messages as possible (e.g., rather than sending a hundred 1MB messages, send one 100MB message).
- D. Group a batch of messages within a unit of work where appropriate, so that they can be committed all at once (e.g., get and put messages under syncpoint and commit them in groups of 10, rather than committing them individually).

Answer: C

Question: 8

In designing a solution with availability in mind, the designer is considering the following two alternatives, one using a cluster queue and the other using a shared queue. In each scenario,

Exam Name:	IBM WebSphere MQ V7.0, Solution Design		
Exam Type:	IBM		
Exam Code:	000-376	Total Questions:	98

Queue Managers QMA and QMB will both be capable of running Application A. In the first scenario, Application A will run on QMA and QMB on Windows accessing cluster queue QA. In the second scenario, Application A will run on QMA and QMB on z/OS accessing shared queue QA. Which of the following describes the availability scenarios in the situation where QMA fails?

- A. For Windows, the delivered messages on QA that Application A on QMA did not get to process are available for processing by Application A on QMB
- B. For z/OS, the delivered messages on QA that Application A on QMA did not get to process are available for processing by Application A on QMB
- C. For Windows, messages from QA that were in flight on QMA when it failed are made available for processing on QMB
- D. For z/OS, messages from QA that were in flight on QMA when it failed are unavailable for processing by QMB

Answer: B

Question: 9

A solution designer is evaluating distribution scenarios and wants to understand the circumstances where messages are not delivered as expected. Which of the following are reasons that a message is placed on the DLQ?

- A. A trigger monitor is unable to start the triggered program
- B. The destination queue is full when the program puts the message to the local queue
- C. The queue manager is quiescing when the program puts the message to the queue
- D. A sending message channel agent is unable to perform data conversion when required for the message
- E. The program tries to put a message to an invalid local queue

Answer: A, D

Question: 10

An organization has a widely distributed online environment, where applications are connected via WebSphere MQ messaging. A business requirement is brought forward that certain mission critical applications record audit trail data which is to be collected in a central location. No information can be lost. A central data warehouse must be loaded daily with this information as soon as possible after end of business. Which of the following proposed solutions is best in terms of the requirement, reliability and overall performance? The audit trail data is:

- A. written to a file on the local file system and transmitted to the central audit trail server via reliable file transfer over WebSphere MQ.
- B. sent as a persistent WebSphere MQ message and forwarded to the queue manager of the central server asynchronously.
- C. inserted into a central database table via a remote access database client under control of the local WebSphere MQ transaction.
- D. inserted into a local database table under two phase commit using WebSphere MQ as the transaction manager and a bulk update is performed at end of day.

Answer: B

Question: 11

A suite of server applications is to be designed to support the graceful shutdown capabilities of WebSphere MQ implemented via the ail ifA suite of server applications is to be designed to support the graceful shutdown capabilities of WebSphere MQ implemented via the ?ail if quiescing?feature. Which of the following best describes the use of this feature?

Pass4SureOfficial.com Lifetime Membership Features;

- Pass4SureOfficial Lifetime Membership Package includes over **2500** Exams.
- **All** exams Questions and Answers are included in package.
- **All** Audio Guides are included **free** in package.
- **All** Study Guides are included **free** in package.
- **Lifetime** login access.
- Unlimited download, no account expiry, no hidden charges, just one time \$99 payment.
- **Free updates** for Lifetime.
- **Free Download Access** to All new exams added in future.
- Accurate answers with explanations (If applicable).
- Verified answers researched by industry experts.
- Study Material **updated** on regular basis.
- Questions, Answers and Study Guides are downloadable in **PDF** format.
- Audio Exams are downloadable in **MP3** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams (Q&A) downloads

<http://www.pass4sureofficial.com/allexams.asp>

View list of All Study Guides (SG) downloads

<http://www.pass4sureofficial.com/study-guides.asp>

View list of All Audio Exams (AE) downloads

<http://www.pass4sureofficial.com/audio-exams.asp>

Download All Exams Samples

<http://www.pass4sureofficial.com/samples.asp>

To purchase \$99 Lifetime Full Access Membership click here

<http://www.pass4sureofficial.com/purchase.asp>

3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	SNIA	

