

FN0-202

Foundry

FNC4-7E Foundry Networks Certified Layer 4-7 Engineer

OfficialCerts.com is a reputable IT certification examination guide, study guides and audio exam provider. We ensure that you pass your FN0-202 exam in first attempt and also get high scores to acquire Foundry certification.

If you use OfficialCerts FN0-202 Certification questions and answers, you will experience actual FN0-202 exam questions/answers. We know exactly what is needed and have all the exam preparation material required to pass the exam. Our Foundry exam prep covers over 95% of the questions and answers that may be appeared in your FN0-202 exam. Every point from pass4sure FN0-202 PDF, FN0-202 review will help you take Foundry FN0-202 exam much easier and become Foundry certified.

Here's what you can expect from the OfficialCerts Foundry FN0-202 course:

- * Up-to-Date Foundry FN0-202 questions as experienced in the real exam.*
- * 100% correct Foundry FN0-202 answers you simply can't find in other FN0-202 courses.*
- * All of our tests are easy to download. Your file will be saved as a FN0-202 PDF.*
- * Foundry FN0-202 brain dump free content featuring the real FN0-202 test questions.*

Foundry FN0-202 certification exam is of core importance both in your Professional life and Foundry certification path. With Foundry certification you can get a good job easily in the market and get on your path for success. Professionals who passed Foundry FN0-202 exam training are an absolute favorite in the industry. You will pass Foundry FN0-202 certification test and career opportunities will be open for you.

<http://news.ift.org/?newsid=exams.asp?examcode=FN0-202>



QUESTION: 1

Which of the following are valid source addresses the ServerIron can use to perform its health checks?

- A. The ServerIron Management IP address
- B. The Real Server Ip address
- C. Server Source IP defined on the ServerIron
- D. The default gateway

Answer: A, C

QUESTION: 2

Which of the following best describes Direct Server Return (DSR)?

- A. Client bypasses the SLB device and talks directly to the servers.
- B. Client sends traffic to SLB device and SLB device responds with HTTP re-direct.
- C. Server bypasses the SLB device and sends replies directly to the client.
- D. Server replicates data onto other servers closer to the client.

Answer: C

QUESTION: 3

Using show server real, if you see SUSPECT under an application port

- A. There is no link to the server
- B. The application might not be available
- C. The time between packets has increased
- D. The server is reachable at Layer 3 but the application failed Layer 4 or 7 health checks

Answer: C

QUESTION: 4

Using show server real, if you see UNBND:

- A. The application cannot be found
- B. The application is bound to the VIP
- C. The VIP is bound to the real server
- D. The application needs to be bound to the real server
- E. The application port for the real server is not bound to the real server

Answer: C

QUESTION: 5

1. The ServerIron sends a TCP SYN packet to the server,
2. The SI waits one second and then checks for a SYN ACK reply from the server.
3. If the SYN ACK is received, then the ServerIron completes the test by sending TCP RESET to the server.

Describes what kind of Health Checks

- A. Layer 4 UDP Three-way health check
- B. Layer 3 TCP Three-way health check
- C. Layer 4 TCP Three-way health check
- D. Layer 3 UDP Three-way health check

Answer: C

QUESTION: 6

To access a remote server, configure:

- A. Server source-nat
- B. Source-nat in the same subnet as the ServerIron Management IP
- C. Server source-ip and source-nat in the same subnet as the ServerIron Management IP
- D. Server source-ip for the remotes subnet

Answer: C

QUESTION: 7

If the real servers are directly connected to the ServerIron, the ServerIron replaces the:

- A. Source IP address with the real servers address
- B. Destination IP address with the real servers address
- C. Source address with the ServerIrons server source-ip address
- D. Source and destination addresses with the ServerIrons server source-ip and the real servers IP addresses.

Answer: B

QUESTION: 8

What is the default SLB behavior for Server Load Balancing for packets from the

ServerIron to the real server?

Choices:

- 1)Packets from the ServerIron to the real server
 - a.Destination translates address from the VIP to the real serverIP
 - b.Source translate the clients IP address
- 2)Packets from the ServerIron to the real server
 - a.Destination translates address from the VIP to the real server IP
 - b.Source leaves the clients IP address unchanged
- 3)Packets from the ServerIron to the real server
 - a.Destination leave the clients IP address unchanged
 - b.Source Translate the real server IP address into a VIP address
- 4)Packets from the ServerIron to the real server
 - a.Destination Leave the real server IP address unchanged
 - b.Source leaves the clients IP address unchanged

- A. 1
- B. 2
- C. 3
- D. 4

Answer: B

QWSTION: 9

What ServerIron functionality allows a client to connect to the same server to which it previously established an SSL connection? (Select all that apply)

- A. sticky
- B. SSL session ID switching
- C. cookie switching
- D. HTTP header hashing

Answer: A, B

QWSTION: 10

The Foundry ServerIron uses predictors to determine how to load balance the traffic flow. Which of the following is not a valid predictor?

- A. Least Connections
- B. Round Robin
- C. Least port priority
- D. Response Time/Least Connections

Answer: C

QUESTION: 11

What best describes the role that the Virtual IP (VIP) Address plays in SLB?

- A. The Virtual IP maps multiple logical addresses to one physical port number,
- B. The Virtual IP address maps one logical address to multiple physical servers
- C. The Virtual IP responds to ARPs with the real servers IP address
- D. The Virtual IP maps ARPs with the real servers IP cache table.

Answer: B

QUESTION: 12

What is the well-known name for port 80?

- A. HTTP
- B. POP3
- C. IMAP4
- D. FTP

Answer: A

QUESTION: 13

Performing Health Check on remote servers requires a source IP address that is not related to std NAT.

- A. True
- B. False

Answer: A

QUESTION: 14

Which Foundry SLB predictor uses a percentage distribution?

- A. round robin
- B. weighted
- C. least connections
- D. delay

OfficialCerts.com Certification Exam Full Version Features;

- Verified answers researched by industry experts.
- Exams **updated** on regular basis.
- Questions, Answers are downloadable in **PDF** format.
- **No authorization** code required to open exam.
- **Portable** anywhere.
- 100% success **Guarantee**.
- **Fast**, helpful support 24x7.

View list of All exams we offer;

<http://www.officialcerts.com/allexams.asp>

To contact our Support;

<http://www.officialcerts.com/support.asp>

View FAQs

<http://www.officialcerts.com/faq.asp>

Download All Exams Samples

<http://www.officialcerts.com/samples.asp>

To purchase Full Version and updated exam;

<http://www.officialcerts.com/allexams.asp>



Shop now using **PayPal**



3COM	CompTIA	Filemaker	IBM	LPI	OMG	Sun
ADOBE	ComputerAssociates	Fortinet	IISFA	McAfee	Oracle	Sybase
APC	CWNP	Foundry	Intel	McData	PMI	Symantec
Apple	DELL	Fujitsu	ISACA	Microsoft	Polycom	TeraData
BEA	ECCouncil	GuidanceSoftware	ISC2	Mile2	RedHat	TIA
BICSI	EMC	HDI	ISEB	NetworkAppliance	Sair	Tibco
CheckPoint	Enterasys	Hitachi	ISM	Network-General	SASInstitute	TruSecure
Cisco	ExamExpress	HP	Juniper	Nokia	SCP	Veritas
Citrix	Exin	Huawei	Legato	Nortel	See-Beyond	Vmware
CIW	ExtremeNetworks	Hyperion	Lotus	Novell	Google	

You have made the
Right Choice

You are becoming member of most comprehensive, accurate, highest quality and lowest cost certification resource in the world.

